

AA-2380

Tipton Airport

Architectural Survey File

This is the architectural survey file for this MIHP record. The survey file is organized reverse-chronological (that is, with the latest material on top). It contains all MIHP inventory forms, National Register nomination forms, determinations of eligibility (DOE) forms, and accompanying documentation such as photographs and maps.

Users should be aware that additional undigitized material about this property may be found in on-site architectural reports, copies of HABS/HAER or other documentation, drawings, and the “vertical files” at the MHT Library in Crownsville. The vertical files may include newspaper clippings, field notes, draft versions of forms and architectural reports, photographs, maps, and drawings. Researchers who need a thorough understanding of this property should plan to visit the MHT Library as part of their research project; look at the MHT web site (mht.maryland.gov) for details about how to make an appointment.

All material is property of the Maryland Historical Trust.

Last Updated: 09-08-2011

MARYLAND HISTORICAL TRUST
DETERMINATION OF ELIGIBILITY FORM

NR Eligible: yes ___
no

Property Name: Tipton Airport Inventory Number: AA-2380
Address: 81 General Aviation Drive (MD 198) Historic district: ___ yes no
City: Odenton Zip Code: 21113 County: Anne Arundel
USGS Quadrangle(s): Laurel
Property Owner: Anne Arundel County, Tipton Airport Authority Tax Account ID Number: 4-000-90213642
Tax Map Parcel Number(s): 12 Tax Map Number: 20
Project: MD 198 from MD 295 to MD 32 Agency: SHA
Agency Prepared By: EHT Traceries, Inc.
Preparer's Name: Elizabeth Breiseth Date Prepared: 8/21/2007

Documentation is presented in: Maryland Inventory of Historic Places Form AA-2380

Preparer's Eligibility Recommendation: ___ Eligibility recommended Eligibility not recommended
Criteria: ___ A ___ B ___ C ___ D Considerations: ___ A ___ B ___ C ___ D ___ E ___ F ___ G

Complete if the property is a contributing or non-contributing resource to a NR district/property:

Name of the District/Property: _____
Inventory Number: _____ Eligible: ___ yes Listed: ___ yes

Site visit by MHT Staff ___ yes no Name: _____ Date: _____

Description of Property and Justification: *(Please attach map and photo)*

The Tipton Airport is a former United States Army airfield occupying a 366-acre tract of land historically part of Fort George G. Meade. The Tipton Airfield was opened in 1960, replacing the original Fort Meade airfield that opened in the 1920s. Operating under the auspices of Fort Meade, the non-historic airfield was designated for privatization under the Base Realignment and Closure Act (BRAC) in 1988. In 1995, the airfield was listed as a Superfund site and closed to allow the Army to cleanup the site. The facility reopened in November of 1999 under the ownership of Anne Arundel County. Currently, a state-chartered public corporation - the Tipton Airport Authority - operates the airfield.(1) Fort Meade, the National Security Agency, and the Patuxent Wildlife Reserve border the airfield, which is sited south of MD 198 in Odenton, Maryland.

The Tipton Airport is a modern facility not associated with events that have made a significant contribution to the broad patterns of our history. The adjacent Fort Meade is significant for the part it played in mobilizing and training troops during World War I (1914-1918) and World War II (1941-1945). Constructed after the Korean War (1950-1953), Tipton Airport is not associated with any military events for which Fort George G. Meade is significant. Therefore, the property is not recommended eligible under Criterion A. The property is not associated with any person or group of persons of outstanding importance to the community, state, or nation. Therefore, the property is not recommended eligible under Criterion B. The buildings associated with the airport do not

MARYLAND HISTORICAL TRUST REVIEW

Eligibility recommended ___ Eligibility not recommended

Criteria: ___ A ___ B ___ C ___ D Considerations: ___ A ___ B ___ C ___ D ___ E ___ F ___ G

MHT Comments:

Ami Talbot
Reviewer, Office of Preservation Services

11/30/07
Date

[Signature]
Reviewer, National Register Program

12/3/07
Date

embody distinctive characteristics of twentieth-century architecture. The buildings are constructed with materials such as concrete block and corrugated metal, typical of industrial architecture found throughout Anne Arundel County and the nation in the mid- to late twentieth century. Therefore, the property is not recommended eligible under Criterion C. All the buildings on the property are less than fifty years old. The property was not evaluated under Criterion D. Thus, Tipton Airport is not recommended eligible for listing in the National Register of Historic Places under A, B, or C.

Historic Context: Anne Arundel County and Odenton

Farming, primarily of tobacco, was the chief industry in Anne Arundel County during the eighteenth and early nineteenth centuries. In addition to farming, the northern portion of the county had an active iron ore mining industry following the Revolutionary War (1775-1783). Many railroad lines were laid in the early to mid-nineteenth century to aid in transferring the smelted ore to Baltimore City for shipping.(2) The new railroads also facilitated transportation of goods and people between Baltimore City and Washington, D.C., creating a highly traveled corridor through Anne Arundel County.

Crossroads communities sprang up throughout the county around the new transportation corridors. For instance, the town of Odenton was founded in 1868 due to its location along the Baltimore and Potomac (B&P) Railroad, which connected Baltimore City and Washington, D.C. The B&P Railroad crossed the Annapolis and Elkridge (A&E) Railroad. At this intersection, a train station and post office were established and named for Oden Bowie, owner of B&P Railroad. Odenton was the largest of these small crossroads communities with 100 residents, a church, a school, and two shops by 1878. Early industry in the area was agricultural; farms produced wheat, corn, and tobacco. Canneries, primarily for tomatoes, were constructed in Odenton and throughout the county in the late nineteenth century.

In 1917, the United States Department of War acquired 4,000 acres of land between Odenton and Laurel, in Anne Arundel County, for the establishment of Camp Meade, which was renamed Fort George G. Meade in 1928 when it became a permanent post. Conceived as a World War I (1914-1918) training facility, the base offered training in infantry combat operations as well as a mustard agent training area. From 1918 to 1932, the United States Army Tank School operated out of Fort Meade. With the United States entrance into World War II (1941-1945) in 1941, Fort Meade expanded to 13,596 acres to meet the increased training requirements. The base continued to operate as a training facility until 1988 when several portions of the site - totaling 9,000 acres - were identified for closure under the Base Realignment and Closure Act (BRAC).(3)

The establishment of Fort Meade spurred the early-twentieth-century development of Odenton and other neighboring towns. Growth in Odenton accelerated in the 1950s with the establishment of the National Security Agency at Fort Meade and Friendship International Airport, which is now known as the Baltimore-Washington International Thurgood Marshall Airport, a few miles north of Odenton. The suburban expansion of Baltimore and Washington, D.C. furthered the transformation of towns along major automobile thoroughfares like MD 198 and MD 175 from agricultural villages to business, industrial, and residential centers.

The Fort Meade Auxiliary Army Airfield and Tipton Airport

Tipton Airport, originally called the Tipton Airfield, was the second airfield constructed on the grounds of Fort Meade. The first airfield on the base, known as the Fort Meade Auxiliary Army Airfield, was built in the central portion of the base, two miles northeast of present-day Tipton Airport. The exact date of construction for the first airfield is unknown; however, an emergency landing field was present in the 1920s. An auxiliary landing field was noted in a 1930 Fort Meade publication, and the 1935 Washington Sectional Chart provides the first physical representation of the base's airfield. By 1937, the airfield had three runways, the longest of which was 1,800 feet.(4) The 1947 USGS map of Anne Arundel County shows the 1,800-foot landing strip of Fort Meade Airfield, which was sited north of MD 602 (present-day MD 198) and west of MD 175.(5)

MARYLAND HISTORICAL TRUST REVIEW	
Eligibility recommended _____	Eligibility not recommended _____
Criteria: ___ A ___ B ___ C ___ D	Considerations: ___ A ___ B ___ C ___ D ___ E ___ F ___ G
MHT Comments:	
_____	_____
Reviewer, Office of Preservation Services	Date
_____	_____
Reviewer, National Register Program	Date

Buildings and roads increasingly surrounded the site of the original airfield, which had expanded in order to accommodate the increasing air traffic during the mid-1950s. Sometime around 1955, the 1,800-foot landing strip was extended to 2,485 feet. A report published about the base in 1957 indicated MacArthur Boulevard and Mapes Road crossed the airfield; the report also noted that the control tower operated moveable barriers that could be raised or lowered in order to facilitate air and ground traffic at the site.(6) Thus, the need for expansion and the increasing development around the site spurred the relocation of the Fort Meade airfield.

Present-day Tipton Airport was opened in 1960 on the periphery of the base to provide the airfield with more room.(7) The new site for the airfield was two miles southwest of the original site and had once been a landfill. The 1961 Washington Local Aeronautical Chart noted the original airfield as "Abandoned Airport" one year after the Tipton Airfield opened.(8)

The 1965 USGS map for the Relay Quad illustrates the presence of several buildings at "Tipton Airfield." The four hangars that are currently standing - #80, #84, #85, and #90 - are depicted on the 1965 map. Additionally, the control tower and the two administrative buildings were also standing by 1965.(9) The airfield operated under the auspices of Fort Meade until it was designated for privatization under BRAC in 1988.(10) The Army retained 900 acres of the BRAC parcel well into the 1990s, which included the 366-acre Tipton Airfield. In 1998, the Army began leasing the parcel to Anne Arundel County, eventually transferring ownership to the county in November 1999.(11)

In July 1998, just as Anne Arundel County began leasing the airfield, the property was placed on the Environmental Protection Agency's (EPA) National Priorities List of most contaminated Superfund sites. Between 1995 and 1999, the Army removed 3,000 buried ordnance items. Ordnance items are military weapons such as artillery and heavy guns and shell casings. Two landfills were located on the parcel, both of which are currently inactive. A parking lot covers one landfill, while a cap intended to prevent the discharge of contaminants into the soil covers the other landfill. One of the two landfills has been fenced in to limit access. The Army was the lead agency in the cleanup and completed all cleanup measures by September 1999.(12)

Currently, the Tipton Airport is operated by the Tipton Airport Authority, a state-chartered public corporation. The airport is a state-of-the-art general aviation facility that houses many sport, recreational, private, and business aircraft. The Tipton Airport Authority plans to install T-Hangars in the near future and rehabilitate the existing hangars and the pavement.(13)

Description

The Tipton Airport is located on the south side of Fort Mead Road (Maryland 198) off Airfield Road. Airfield Road provides access to General Aviation Drive, an east-west road that runs the length of the facility. The airport is sited on a 366-acre tract of land bordered by Fort George G. Meade, the National Security Agency, and the Patuxent National Wildlife Refuge. The airport is comprised of two administrative office buildings, four hangars, a control tower, five sheds, and a cylindrical storage structure. There are also five prefabricated sheds. The buildings are sited on a flat tract of land, which is largely paved. The tarmac, which runs east-west, is located south of all the buildings. The tarmac is bordered to the south by mature, dense vegetation.

Exterior Descriptions

Administrative Building:

The administrative building was constructed circa 1960. This two-story, seven-bay administrative building is constructed of concrete blocks. The foundation is rock-faced concrete block, while the structure is clad in stucco. The western bay of the building

MARYLAND HISTORICAL TRUST REVIEW	
Eligibility recommended _____	Eligibility not recommended _____
Criteria: ___A ___B ___C ___D	Considerations: ___A ___B ___C ___D ___E ___F ___G
MHT Comments:	
_____ Reviewer, Office of Preservation Services	_____ Date
_____ Reviewer, National Register Program	_____ Date

is an attached garage that is two stories in height. A roll-up metal door provides access to the garage, and a concrete ramp leads to the vehicular opening from the parking lot. The main block of the building is one story in height. A flat roof of standing-seam metal covers both the one- and two-story portions of the building. The roof has a standing-seam metal parapet. An exterior-front chimney faced in coursed stone is located on the façade (north elevation), just east of the main entrance. The main entrance has a single-leaf metal door. There are five window openings on the façade. Each opening features a 1/1 metal-sash window set on a metal-clad sill. The interior of the building was not accessible at the time of the on-site survey.

Building #81 (Airport Operations):

This one-story, six-bay airport operations building was constructed circa 1960. It has a rectangular plan with a two-story control tower on its west elevation. The building, which is concrete-block construction, is clad in stucco. A flat roof covered with standing-seam metal caps the main block of the building. The standing-seam metal forms a parapet. The building has an exterior-front chimney clad in stucco that is located adjacent to the entrance. The entrance has a single-leaf metal door with lights. Five window openings are placed along the façade (north elevation). The openings have 1/1 metal-sash windows set on metal-clad sills. The two-story tower has a pyramidal roof with overhanging eaves. The tower's roof is covered in standing-seam metal. The control tower has a ribbon of four 1-light fixed metal-sash windows on each elevation; each 1-light metal-sash is set above a 1-light sliding metal-sash window. The interior of Building #81 was not accessible at the time of the on-site survey.

Hangar #80:

Constructed circa 1960, this two-story, one-bay hangar is set on a concrete foundation with steel-beam framing. The structure is mainly clad in corrugated metal panels with sections of the second story clad in concrete blocks. A low-pitched front-gabled roof covers the hangar. The roof features a raked cornice. Both the east and west side elevations of the hangar feature six sliding metal doors with corrugated metal panels. The doors run the full height of the first story. Fenestration on the first and second stories of the north elevation is a combination of single, paired, and tripled 6-light metal-sash awning windows with interior storm windows. First-story windows are set on a concrete sill course, while each second-story window opening has a concrete lug sill. A one-story enclosed projecting entry bay is located on the first story of the north elevation. The entry bay is concrete-block construction covered by a shed roof. The entry bay has a 12-light metal-sash window and a single-leaf door. The interior of the hangar was not accessible at the time of the on-site survey.

Hangar #84:

Constructed circa 1960, this two-story, one-bay hangar is set on a concrete foundation with steel-beam framing. The structure is mainly clad in corrugated metal panels with sections of the second story clad in concrete blocks. A low-pitched front-gabled roof covers the hangar. The roof features a raked cornice. Both the east and west side elevations of the hangar feature six sliding metal doors with corrugated metal panels. The doors run the full height of the first story. Fenestration on the first and second stories of the north elevation is a combination of single, paired, and tripled 6-light metal-sash awning windows with interior storm windows. First-story windows are set on a concrete sill course, while each second-story window opening has a concrete lug sill. A one-story enclosed projecting entry bay is located on the first story of the north elevation. The entry bay is concrete-block construction covered by a shed roof. The entry bay has a 12-light metal-sash window and a single-leaf door. The interior of the hangar was not accessible at the time of the on-site survey.

Hangar #85:

This two-story hangar was constructed circa 1960. The building is set on a concrete-block foundation and constructed of steel-

MARYLAND HISTORICAL TRUST REVIEW	
Eligibility recommended _____	Eligibility not recommended _____
Criteria: ___ A ___ B ___ C ___ D	Considerations: ___ A ___ B ___ C ___ D ___ E ___ F ___ G
MHT Comments:	
_____ Reviewer, Office of Preservation Services	_____ Date
_____ Reviewer, National Register Program	_____ Date

beam framing. The first story is clad in concrete blocks, while the second story is clad with corrugated metal. The hangar has a flat roof with metal coping. An exposed steel-beam structure is situated on the roof. The structure is topped with lights and braced with smaller steel beams. A single-leaf metal door with lights, five paired 1-light metal-sash awning windows on concrete sills, and a roll-up metal door are located on the north elevation. The second story of the north elevation, which is set back from the first story, also has paired 1-light metal-sash windows. The west elevation has four sets of paired 1-light metal-sash awning windows. Sliding metal doors are located on the south elevation of the hangar. The interior of the hangar was not accessible at the time of the on-site survey.

Hangar #90:

This two-story hangar was constructed circa 1960. The building is set on a concrete-block foundation and constructed of steel-beam framing. The first story is clad in concrete blocks, while the second story is clad with corrugated metal. The hangar has a flat roof with metal coping. An exposed steel-beam structure is situated on the roof. The structure is topped with lights and braced with smaller steel beams. The south elevation has nine sliding doors of corrugated metal. A set of double-leaf metal doors and two paired 1-light metal-sash awning windows are located on east elevation of the hangar. The north elevation has paired 1-light metal-sash awning windows set on concrete sills and a roll-up metal door. The interior of the hangar was not accessible at the time of the on-site survey.

Shed #1:

Constructed circa 1980, this shed is one story in height and one bay in width. The structure is built of steel-beam framing. The structure, capped by a front-gabled roof, is clad in corrugated metal. The north elevation of the shed has a large opening with no door. Two smaller entry openings are located on the east elevations. These openings have roll-up metal doors. The interior of the shed was not accessible at the time of the on-site survey.

Shed #2:

This one-story, five-bay shed was constructed circa 1980 and is located south of Hangar #90. Built with steel-beam framing, the structure is clad in corrugated metal. A shed roof with metal coping caps the structure. The north elevation of the shed is open with five steel beams delineating the bays of the building. The interior of the shed was not accessible at the time of the on-site survey.

Shed #3:

This shed was constructed of concrete blocks circa 1965. A low-pitched, front-gabled roof covers the one-story, three-bay shed. A single-leaf entrance is located on the west elevation. Fenestration on the east elevation is identical in each of the three bays. Each bay has windows set on concrete sills and grouped in the following order: 2-light fixed metal-sash, 4-light metal-sash awning, 2-light fixed metal-sash, 6-light metal-sash awning, 2-light fixed metal-sash, 4-light metal-sash awning, and 2-light fixed metal-sash. The interior of the shed was not accessible at the time of the on-site survey.

Shed #4:

This one-story, one-bay shed was constructed of concrete blocks circa 1970. A flat roof with metal coping covers the shed. There is a single-leaf metal door on the south elevation and a metal-sash window on the west elevation. The window is set on a concrete lug sill. The interior of the shed was not accessible at the time of the on-site survey.

MARYLAND HISTORICAL TRUST REVIEW	
Eligibility recommended _____	Eligibility not recommended _____
Criteria: ___ A ___ B ___ C ___ D	Considerations: ___ A ___ B ___ C ___ D ___ E ___ F ___ G
MHT Comments:	
_____	_____
Reviewer, Office of Preservation Services	Date
_____	_____
Reviewer, National Register Program	Date

Shed #5:

This one-story, one-bay shed was constructed of concrete blocks circa 1970. A shed roof with overhanging eaves and metal coping covers the structure. A single-leaf entry opening is located on the west elevation. There is no door in the opening. The interior of the shed was not accessible at the time of the on-site survey.

Cylindrical Storage Structure:

This cylindrical storage structure was built circa 1970. The structure was constructed of metal and has a dome-shaped roof. The dome has metal coping where the roof meets the main block of the structure. A ladder, located on the south elevation, extends from the ground to the dome of the structure. The interior of the cylindrical storage structure was not accessible at the time of the on-site survey.

Control Tower:

The control tower was built circa 1960. The building, which has a hexagonal shape, is constructed of cast concrete with two window openings on the west elevation. The windows are 4-light metal-sash casements set on concrete sills. A single-leaf door on the north elevation provides access to the tower. A flat roof with a metal balustrade caps the building. The glass-paneled control room is situated on top of the flat roof. The control room has a continuous ribbon of 1-light fixed metal-sash windows. A flat roof with a metal balustrade covers the control room. The control tower is no longer in use and the interior was not accessible at the time of the on-site survey.

- 1) "Tipton Airport," <http://www.tiptonairport.org/about/index.php>, accessed August 14, 2007.
- 2) Anne Arundel County, Maryland, History - Seventeenth Century through the Present, <http://www.aacounty.org/AboutAACo/history.cfm>, accessed August 13, 2007.
- 3) "Fort George G. Meade," Maryland Department of Environment ERRP Fact Sheet, http://www.mde.state.md.us/assests/document/brownfields/Fort_Meade.pdf, accessed August 14, 2007.
- 4) "Abandoned and Little Known Airfields: Maryland-Columbia area," from http://www.airfields-freeman.com/MD/Airfields_MD_Columbia.htm (excerpts from the book Maryland Aloft by Preston, Lanman, and Breilhan) accessed August 15, 2007.
- 5) 1947 USGS Map, Relay Quad, <http://historical.maptech.com/getImage.cfm?fname=rlay47sw.jpg&state=MD>, accessed August 15, 2007.
- 6) "Abandoned and Little Known Airfields: Maryland-Columbia area," from http://www.airfields-freeman.com/MD/Airfields_MD_Columbia.htm (excerpts from the book Maryland Aloft by Preston, Lanman, and Breilhan) accessed August 15, 2007.
- 7) "Fort George G. Meade Cultural Resource Management Plan," prepared for the U.S. Army Corps of Engineers, August 1994.
- 8) "Abandoned and Little Known Airfields: Maryland-Columbia area," from http://www.airfields-freeman.com/MD/Airfields_MD_Columbia.htm (excerpts from the book Maryland Aloft by Preston, Lanman, and Breilhan) accessed August 15, 2007.
- 9) 1965 USGS map, Relay Quad (photo revised 1979).
- 10) <http://www.tiptonairport.org/about/index.php>
- 11) "Fort George G. Meade," Maryland Department of Environment ERRP Fact Sheet, http://www.mde.state.md.us/assests/document/brownfields/Fort_Meade.pdf, accessed August 14, 2007.
- 12) "Cleanup Complete at Tipton Army Airfield at Ft. Meade , Property Ready for Transfer to County for Commercial Flights," <http://yosemite.epa.gov/r3/press.nsf/7f3f954af9cce39b882563fd0063a09c/a371cff89f124d6f85256707005c1f7e?OpenDocument>

MARYLAND HISTORICAL TRUST REVIEW	
Eligibility recommended _____	Eligibility not recommended _____
Criteria: ___ A ___ B ___ C ___ D	Considerations: ___ A ___ B ___ C ___ D ___ E ___ F ___ G
MHT Comments:	
_____	_____
Reviewer, Office of Preservation Services	Date
_____	_____
Reviewer, National Register Program	Date

Capsule Summary

AA-2380

Tipton Airport

81 General Aviation Drive

Odenton, Anne Arundel County, Maryland

1960

Private

The Tipton Airport is a former United States Army airfield occupying a 366-acre tract of land historically part of Fort George G. Meade. The Tipton Airfield was opened in 1960, replacing the original Fort Meade airfield that opened in the 1920s. Operating under the auspices of Fort Meade, the non-historic airfield was designated for privatization under the Base Realignment and Closure Act (BRAC) in 1988. In 1995, the airfield was listed as a Superfund site and closed to allow the Army to cleanup the site. The facility reopened in November of 1999 under the ownership of Anne Arundel County. Currently, a state-chartered public corporation – the Tipton Airport Authority – operates the airfield. Fort Meade, the National Security Agency, and the Patuxent Wildlife Reserve border the airfield, which is sited south of MD 198 in Odenton, Maryland.

The Tipton Airport is located on the south side of Fort Meade Road (Maryland 198) off Airfield Road. Airfield Road provides access to General Aviation Drive, an east-west road that runs the length of the facility. The airport is bordered by Fort George G. Meade, the National Security Agency, and the Patuxent National Wildlife Refuge. The airport is comprised of two administrative office buildings, four hangars, a control tower, five sheds, and a cylindrical storage structure. The buildings are sited on a flat tract of land, which is largely paved. The tarmac, which runs east-west, is located south of all the buildings. The tarmac is bordered to the south by mature, dense vegetation.

Maryland Historical Trust Maryland Inventory of Historic Properties Form

Inventory No. AA-2380

1. Name of Property (indicate preferred name)

historic Fort Meade Auxiliary Army Airfield

other Tipton Airport (preferred)

2. Location

street and number 81 General Aviation Drive __ not for publication

city, town Odenton __ vicinity

county Anne Arundel

3. Owner of Property (give names and mailing addresses of all owners)

name Anne Arundel County, Tipton Airport Authority

street and number P.O. Box 155 telephone

city, town Odenton state MD zip code 21113

4. Location of Legal Description

courthouse, registry of deeds, etc. Anne Arundel County Courthouse liber 10552 folio 716

city, town Annapolis tax map 20 tax parcel 12 tax ID number 4-000-90213642

5. Primary Location of Additional Data

- Contributing Resource in National Register District
- Contributing Resource in Local Historic District
- Determined Eligible for the National Register/Maryland Register
- Determined Ineligible for the National Register/Maryland Register
- Recorded by HABS/HAER
- Historic Structure Report or Research Report at MHT
- Other: _____

6. Classification

Category	Ownership	Current Function	Resource Count	
<input type="checkbox"/> district	<input type="checkbox"/> public	<input type="checkbox"/> agriculture	<input type="checkbox"/> landscape	Contributing
<input checked="" type="checkbox"/> building(s)	<input checked="" type="checkbox"/> private	<input type="checkbox"/> commerce/trade	<input type="checkbox"/> recreation/culture	Noncontributing
<input type="checkbox"/> structure	<input type="checkbox"/> both	<input type="checkbox"/> defense	<input type="checkbox"/> religion	<input type="checkbox"/> 13 buildings
<input type="checkbox"/> site		<input type="checkbox"/> domestic	<input type="checkbox"/> social	<input type="checkbox"/> sites
<input type="checkbox"/> object		<input type="checkbox"/> education	<input checked="" type="checkbox"/> transportation	<input type="checkbox"/> structures
		<input type="checkbox"/> funerary	<input type="checkbox"/> work in progress	<input type="checkbox"/> 0
		<input type="checkbox"/> government	<input type="checkbox"/> unknown	<input type="checkbox"/> 13 Total
		<input type="checkbox"/> health care	<input type="checkbox"/> vacant/not in use	
		<input type="checkbox"/> industry	<input type="checkbox"/> other:	
				Number of Contributing Resources previously listed in the Inventory
				0

7. Description

Inventory No. AA-2380

Condition

excellent deteriorated
 good ruins
 fair altered

Prepare both a one paragraph summary and a comprehensive description of the resource and its various elements as it exists today.

The Tipton Airport is located on the south side of Fort Meade Road (Maryland 198) off Airfield Road. Airfield Road provides access to General Aviation Drive, an east-west road that runs the length of the facility. The airport is sited on a 366-acre tract of land bordered by Fort George G. Meade, the National Security Agency, and the Patuxent National Wildlife Refuge. The airport is comprised of two administrative office buildings, four hangars, a control tower, five sheds, and a cylindrical storage structure. There are also five prefabricated sheds. The buildings are sited on a flat tract of land, which is largely paved. The tarmac, which runs east-west, is located south of all the buildings. The tarmac is bordered to the south by mature, dense vegetation.

Exterior Descriptions

Administrative Building:

The administrative building was constructed circa 1960. This two-story, seven-bay administrative building is constructed of concrete blocks. The foundation is rock-faced concrete block, while the structure is clad in stucco. The western bay of the building is an attached garage that is two stories in height. A roll-up metal door provides access to the garage, and a concrete ramp leads to the vehicular opening from the parking lot. The main block of the building is one story in height. A flat roof of standing-seam metal covers both the one- and two-story portions of the building. The roof has a standing-seam metal parapet. An exterior-front chimney faced in coursed stone is located on the façade (north elevation), just east of the main entrance. The main entrance has a single-leaf metal door. There are five window openings on the façade. Each opening features a 1/1 metal-sash window set on a metal-clad sill. The interior of the building was not accessible at the time of the on-site survey.

Building #81 (Airport Operations):

This one-story, six-bay airport operations building was constructed circa 1960. It has a rectangular plan with a two-story control tower on its west elevation. The building, which is concrete-block construction, is clad in stucco. A flat roof covered with standing-seam metal caps the main block of the building. The standing-seam metal forms a parapet. The building has an exterior-front chimney clad in stucco that is located adjacent to the entrance. The entrance has a single-leaf metal door with lights. Five window openings are placed along the façade (north elevation). The openings have 1/1 metal-sash windows set on metal-clad sills. The two-story tower has a pyramidal roof with overhanging eaves. The tower's roof is covered in standing-seam metal. The control tower has a ribbon of four 1-light fixed metal-sash windows on each elevation; each 1-light metal-sash is set above a 1-light sliding metal-sash window. The interior of Building #81 was not accessible at the time of the on-site survey.

Hangar #80:

Constructed circa 1960, this two-story, one-bay hangar is set on a concrete foundation with steel-beam framing. The structure is mainly clad in corrugated metal panels with sections of the second story clad in concrete

Maryland Historical Trust

Maryland Inventory of Historic Properties Form

Inventory No. AA-2380

Tipton Airport
Continuation Sheet

Number 7 Page 1

blocks. A low-pitched front-gabled roof covers the hangar. The roof features a raked cornice. Both the east and west side elevations of the hangar feature six sliding metal doors with corrugated metal panels. The doors run the full height of the first story. Fenestration on the first and second stories of the north elevation is a combination of single, paired, and tripled 6-light metal-sash awning windows with interior storm windows. First-story windows are set on a concrete sill course, while each second-story window opening has a concrete lug sill. A one-story enclosed projecting entry bay is located on the first story of the north elevation. The entry bay is concrete-block construction covered by a shed roof. The entry bay has a 12-light metal-sash window and a single-leaf door. The interior of the hangar was not accessible at the time of the on-site survey.

Hangar #84:

Constructed circa 1960, this two-story, one-bay hangar is set on a concrete foundation with steel-beam framing. The structure is mainly clad in corrugated metal panels with sections of the second story clad in concrete blocks. A low-pitched front-gabled roof covers the hangar. The roof features a raked cornice. Both the east and west side elevations of the hangar feature six sliding metal doors with corrugated metal panels. The doors run the full height of the first story. Fenestration on the first and second stories of the north elevation is a combination of single, paired, and tripled 6-light metal-sash awning windows with interior storm windows. First-story windows are set on a concrete sill course, while each second-story window opening has a concrete lug sill. A one-story enclosed projecting entry bay is located on the first story of the north elevation. The entry bay is concrete-block construction covered by a shed roof. The entry bay has a 12-light metal-sash window and a single-leaf door. The interior of the hangar was not accessible at the time of the on-site survey.

Hangar #85:

This two-story hangar was constructed circa 1960. The building is set on a concrete-block foundation and constructed of steel-beam framing. The first story is clad in concrete blocks, while the second story is clad with corrugated metal. The hangar has a flat roof with metal coping. An exposed steel-beam structure is situated on the roof. The structure is topped with lights and braced with smaller steel beams. A single-leaf metal door with lights, five paired 1-light metal-sash awning windows on concrete sills, and a roll-up metal door are located on the north elevation. The second story of the north elevation, which is set back from the first story, also has paired 1-light metal-sash windows. The west elevation has four sets of paired 1-light metal-sash awning windows. Sliding metal doors are located on the south elevation of the hangar. The interior of the hangar was not accessible at the time of the on-site survey.

Maryland Historical Trust

Maryland Inventory of Historic Properties Form

Inventory No. AA-2380

Tipton Airport
Continuation Sheet

Number 7 Page 2

Hangar #90:

This two-story hangar was constructed circa 1960. The building is set on a concrete-block foundation and constructed of steel-beam framing. The first story is clad in concrete blocks, while the second story is clad with corrugated metal. The hangar has a flat roof with metal coping. An exposed steel-beam structure is situated on the roof. The structure is topped with lights and braced with smaller steel beams. The south elevation has nine sliding doors of corrugated metal. A set of double-leaf metal doors and two paired 1-light metal-sash awning windows are located on east elevation of the hangar. The north elevation has paired 1-light metal-sash awning windows set on concrete sills and a roll-up metal door. The interior of the hangar was not accessible at the time of the on-site survey.

Shed #1:

Constructed circa 1980, this shed is one story in height and one bay in width. The structure is built of steel-beam framing. The structure, capped by a front-gabled roof, is clad in corrugated metal. The north elevation of the shed has a large opening with no door. Two smaller entry openings are located on the east elevations. These openings have roll-up metal doors. The interior of the shed was not accessible at the time of the on-site survey.

Shed #2:

This one-story, five-bay shed was constructed circa 1980 and is located south of Hangar #90. Built with steel-beam framing, the structure is clad in corrugated metal. A shed roof with metal coping caps the structure. The north elevation of the shed is open with five steel beams delineating the bays of the building. The interior of the shed was not accessible at the time of the on-site survey.

Shed #3:

This shed was constructed of concrete blocks circa 1965. A low-pitched, front-gabled roof covers the one-story, three-bay shed. A single-leaf entrance is located on the west elevation. Fenestration on the east elevation is identical in each of the three bays. Each bay has windows set on concrete sills and grouped in the following order: 2-light fixed metal-sash, 4-light metal-sash awning, 2-light fixed metal-sash, 6-light metal-sash awning, 2-light fixed metal-sash, 4-light metal-sash awning, and 2-light fixed metal-sash. The interior of the shed was not accessible at the time of the on-site survey.

Shed #4:

This one-story, one-bay shed was constructed of concrete blocks circa 1970. A flat roof with metal coping covers the shed. There is a single-leaf metal door on the south elevation and a metal-sash window on the west

Maryland Historical Trust Maryland Inventory of Historic Properties Form

Inventory No. AA-2380

Tipton Airport
Continuation Sheet

Number 7 Page 3

elevation. The window is set on a concrete lug sill. The interior of the shed was not accessible at the time of the on-site survey.

Shed #5:

This one-story, one-bay shed was constructed of concrete blocks circa 1970. A shed roof with overhanging eaves and metal coping covers the structure. A single-leaf entry opening is located on the west elevation. There is no door in the opening. The interior of the shed was not accessible at the time of the on-site survey.

Cylindrical Storage Structure:

This cylindrical storage structure was built circa 1970. The structure was constructed of metal and has a dome-shaped roof. The dome has metal coping where the roof meets the main block of the structure. A ladder, located on the south elevation, extends from the ground to the dome of the structure. The interior of the cylindrical storage structure was not accessible at the time of the on-site survey.

Control Tower:

The control tower was built circa 1960. The building, which has a hexagonal shape, is constructed of cast concrete with two window openings on the west elevation. The windows are 4-light metal-sash casements set on concrete sills. A single-leaf door on the north elevation provides access to the tower. A flat roof with a metal balustrade caps the building. The glass-paneled control room is situated on top of the flat roof. The control room has a continuous ribbon of 1-light fixed metal-sash windows. A flat roof with a metal balustrade covers the control room. The control tower is no longer in use and the interior was not accessible at the time of the on-site survey.

8. Significance

Inventory No. AA-2380

Period	Areas of Significance	Check and justify below		
<input type="checkbox"/> 1600-1699	<input type="checkbox"/> agriculture	<input type="checkbox"/> economics	<input type="checkbox"/> health/medicine	<input type="checkbox"/> performing arts
<input type="checkbox"/> 1700-1799	<input type="checkbox"/> archeology	<input type="checkbox"/> education	<input type="checkbox"/> industry	<input type="checkbox"/> philosophy
<input type="checkbox"/> 1800-1899	<input type="checkbox"/> architecture	<input type="checkbox"/> engineering	<input type="checkbox"/> invention	<input type="checkbox"/> politics/government
<input checked="" type="checkbox"/> 1900-1999	<input type="checkbox"/> art	<input type="checkbox"/> entertainment/ recreation	<input type="checkbox"/> landscape architecture	<input type="checkbox"/> religion
<input type="checkbox"/> 2000-	<input type="checkbox"/> commerce	<input type="checkbox"/> ethnic heritage	<input type="checkbox"/> law	<input type="checkbox"/> science
	<input type="checkbox"/> communications	<input type="checkbox"/> exploration/ settlement	<input type="checkbox"/> literature	<input type="checkbox"/> social history
	<input type="checkbox"/> community planning		<input type="checkbox"/> maritime history	<input checked="" type="checkbox"/> transportation
	<input type="checkbox"/> conservation		<input checked="" type="checkbox"/> military	<input type="checkbox"/> other: _____

Specific dates 1960 **Architect/Builder** Unknown

Construction dates 1960-1980

Evaluation for:

National Register Maryland Register not evaluated

Prepare a one-paragraph summary statement of significance addressing applicable criteria, followed by a narrative discussion of the history of the resource and its context. (For compliance projects, complete evaluation on a DOE Form – see manual.)

The Tipton Airport is a former United States Army airfield occupying a 366-acre tract of land historically part of Fort Meade. The Tipton Airfield was opened in 1960, replacing the original Fort Meade airfield that opened in the 1920s. Operating under the auspices of Fort Meade, the non-historic airfield was designated for privatization under the Base Realignment and Closure Act (BRAC) in 1988. In 1995, the airfield was listed as a Superfund site and closed to allow the Army to cleanup the site. The facility reopened in November of 1999 under the ownership of Anne Arundel County. Currently, a state-chartered public corporation – the Tipton Airport Authority – operates the airfield.¹ Fort Meade, the National Security Agency, and the Patuxent Wildlife Reserve border the airfield, which is sited south of MD 198 in Odenton, Maryland.

The Tipton Airport is a modern facility not associated with events that have made a significant contribution to the broad patterns of our history. The adjacent Fort Meade is significant for the part it played in mobilizing and training troops during World War I (1914-1918) and World War II (1941-1945). Constructed after the Korean War (1950-1953), Tipton Airport is not associated with any military events for which Fort George G. Meade is significant. Therefore, the property is not recommended eligible under Criterion A. The property is not associated with any person or group of persons of outstanding importance to the community, state, or nation. Therefore, the property is not recommended eligible under Criterion B. The buildings associated with the airport do not embody distinctive characteristics of twentieth-century architecture. The buildings are constructed with materials such as concrete block and corrugated metal, typical of industrial architecture found throughout Anne Arundel County and the nation in the mid- to late twentieth century. Therefore, the property is not recommended eligible under Criterion C. All the buildings on the property are less than fifty years old. The property was not evaluated under Criterion D. Thus, Tipton Airport is not recommended eligible for listing in the National Register of Historic Places under A, B, or C.

Historic Context: Anne Arundel County and Odenton

Farming, primarily of tobacco, was the chief industry in Anne Arundel County during the eighteenth and early nineteenth centuries. In addition to farming, the northern portion of the county had an active iron ore mining

¹ Anne Arundel County, "Tipton Airport, Anne Arundel County, Maryland," <http://www.tiptonairport.org/about/index.php>, accessed 14 August 2007.

Maryland Historical Trust

Maryland Inventory of Historic Properties Form

Inventory No. AA-2380

Tipton Airport
Continuation Sheet

Number 8 Page 1

industry following the Revolutionary War (1775–1783). Many railroad lines were laid in the early to mid-nineteenth century to aid in transferring the smelted ore to Baltimore City for shipping.² The new railroads also facilitated transportation of goods and people between Baltimore City and Washington, D.C., creating a highly traveled corridor through Anne Arundel County.

Crossroads communities sprang up throughout the county around the new transportation corridors. For instance, the town of Odenton was founded in 1868 due to its location along the Baltimore and Potomac (B&P) Railroad, which connected Baltimore City and Washington, D.C. The B&P Railroad crossed the Annapolis and Elkridge (A&E) Railroad. At this intersection, a train station and post office were established and named for Oden Bowie, owner of B&P Railroad. Odenton was the largest of these small crossroads communities with 100 residents, a church, a school, and two shops by 1878. Early industry in the area was agricultural; farms produced wheat, corn, and tobacco. Canneries, primarily for tomatoes, were constructed in Odenton and throughout the county in the late nineteenth century.

In 1917, the United States Department of War acquired 4,000 acres of land between Odenton and Laurel, in Anne Arundel County, for the establishment of Camp Meade, which was renamed Fort George G. Meade in 1928 when it became a permanent post. Conceived as a World War I (1914-1918) training facility, the base offered training in infantry combat operations as well as a mustard agent training area. From 1918 to 1932, the United States Army Tank School operated out of Fort Meade. With the United States entrance into World War II (1941-1945) in 1941, Fort Meade expanded to 13,596 acres to meet the increased training requirements. The base continued to operate as a training facility until 1988 when several portions of the site – totaling 9,000 acres – were identified for closure under the Base Realignment and Closure Act (BRAC).³

The establishment of Fort Meade spurred the early-twentieth-century development of Odenton and other neighboring towns. Growth in Odenton accelerated in the 1950s with the establishment of the National Security Agency at Fort Meade and Friendship International Airport, which is now known as the Baltimore-Washington International Thurgood Marshall Airport, a few miles north of Odenton. The suburban expansion of Baltimore and Washington, D.C. furthered the transformation of towns along major automobile thoroughfares like MD 198 and MD 175 from agricultural villages to business, industrial, and residential centers.

The Fort Meade Auxiliary Army Airfield and Tipton Airport

Tipton Airport, originally called the Tipton Airfield, was the second airfield constructed on the grounds of Fort Meade. The first airfield on the base, known as the Fort Meade Auxiliary Army Airfield, was built in the central portion of the base, two miles northeast of present-day Tipton Airport. The exact date of construction for the

² Anne Arundel County, Maryland, Citizens Information Center, "History - Seventeenth Century through the Present," <http://www.aacounty.org/AboutAACo/history.cfm>, accessed 13 August 2007.

³ Maryland Department of the Environment, "Fort George G. Meade," Maryland Department of the Environment ERRP Fact Sheet, http://www.mde.state.md.us/assests/document/brownfields/Fort_Meade.pdf, accessed 14 August 2007.

Maryland Historical Trust

Maryland Inventory of Historic Properties Form

Inventory No. AA-2380

Tipton Airport
Continuation Sheet

Number 8 Page 2

first airfield is unknown; however, an emergency landing field was present in the 1920s. An auxiliary landing field was noted in a 1930 Fort Meade publication, and the 1935 *Washington Sectional Chart* provides the first physical representation of the base's airfield. By 1937, the airfield had three runways, the longest of which was 1,800 feet.⁴ The 1947 USGS map of Anne Arundel County shows the 1,800-foot landing strip of Fort Meade Airfield, which was sited north of MD 602 (present-day MD 198) and west of MD 175.⁵

Buildings and roads increasingly surrounded the site of the original airfield, which had expanded in order to accommodate the increasing air traffic during the mid-1950s. Sometime around 1955, the 1,800-foot landing strip was extended to 2,485 feet. A report published about the base in 1957 indicated MacArthur Boulevard and Mapes Road crossed the airfield; the report also noted that the control tower operated moveable barriers that could be raised or lowered in order to facilitate air and ground traffic at the site.⁶ Thus, the need for expansion and the increasing development around the site spurred the relocation of the Fort Meade airfield.

Present-day Tipton Airport was opened in 1960 on the periphery of the base to provide the airfield with more room.⁷ The new site for the airfield was two miles southwest of the original site and had once been a landfill. The 1961 *Washington Local Aeronautical Chart* noted the original airfield as "Abandoned Airport" one year after the Tipton Airfield opened.⁸

The 1965 USGS map for the Relay Quad illustrates the presence of several buildings at "Tipton Airfield." The four hangars that are currently standing - #80, #84, #85, and #90 - are depicted on the 1965 map. Additionally, the control tower and the two administrative buildings were also standing by 1965.⁹ The airfield operated under the auspices of Fort Meade until it was designated for privatization under BRAC in 1988.¹⁰ The Army retained 900 acres of the BRAC parcel well into the 1990s, which included the 366-acre Tipton Airfield. In 1998, the Army began leasing the parcel to Anne Arundel County, eventually transferring ownership to the county in November 1999.¹¹

⁴ Paul Freeman, "Abandoned and Little Known Airfields: Maryland-Columbia area," http://www.airfields-freeman.com/MD/Airfields_MD_Columbia.htm, accessed 15 August 2007.

⁵ MapTech, Relay Quad, 1947 USGS Map, <http://historical.maptech.com/getImage.cfm?fname=rlay47sw.jpg&state=MD>, accessed 15 August 2007.

⁶ Paul Freeman, "Abandoned and Little Known Airfields: Maryland-Columbia area," http://www.airfields-freeman.com/MD/Airfields_MD_Columbia.htm, accessed 15 August 2007.

⁷ "Fort George G. Meade Cultural Resource Management Plan," prepared for the U.S. Army Corps of Engineers, August 1994.

⁸ Paul Freeman, "Abandoned and Little Known Airfields: Maryland-Columbia area," http://www.airfields-freeman.com/MD/Airfields_MD_Columbia.htm, accessed 15 August 2007.

⁹ MapTech, Laurel Quad, 1965 (revised 1979), USGS Map.

¹⁰ Anne Arundel County, "Tipton Airport, Anne Arundel County, Maryland," <http://www.tiptonairport.org/about/index.php>, accessed 14 August 2007.

¹¹ Maryland Department of the Environment, "Fort George G. Meade, (MD-67)," Maryland Department of the Environment ERRP Fact Sheet, http://www.mde.state.md.us/assets/document/brownfields/Fort_Meade.pdf, accessed 14 August 2007.

Maryland Historical Trust Maryland Inventory of Historic Properties Form

Inventory No. AA-2380

Tipton Airport
Continuation Sheet

Number 8 Page 3

In July 1998, just as Anne Arundel County began leasing the airfield, the property was placed on the Environmental Protection Agency's (EPA) National Priorities List of most contaminated Superfund sites. Between 1995 and 1999, the Army removed 3,000 buried ordnance items. Ordnance items are military weapons such as artillery and heavy guns and shell casings. Two landfills were located on the parcel, both of which are currently inactive. A parking lot covers one landfill, while a cap intended to prevent the discharge of contaminants into the soil covers the other landfill. One of the two landfills has been fenced in to limit access. The Army was the lead agency in the cleanup and completed all cleanup measures by September 1999.¹²

Currently, the Tipton Airport is operated by the Tipton Airport Authority, a state-chartered public corporation. The airport is a state-of-the-art general aviation facility that houses many sport, recreational, private, and business aircraft. The Tipton Airport Authority plans to install T-Hangars in the near future and rehabilitate the existing hangars and the pavement.¹³

¹² United States Environmental Protection Agency, "EPA Declares Ft. Meade's Tipton Airfield Free of Hazardous Waste," Press Release, 25 January 1999,

<http://yosemite.epa.gov/r3/press.nsf/7f3f954af9cce39b882563fd0063a09c/a371cff89f124d6f85256707005c1f7e?OpenDocument>

¹³ Anne Arundel County, "Tipton Airport, Anne Arundel County, Maryland," <http://www.tiptonairport.org/about/index.php>, accessed 14 August 2007.

9. Major Bibliographical References

Inventory No. AA-2380

Anne Arundel County, Maryland, Citizens Information Center. "History - Seventeenth Century through the Present." <http://www.aacounty.org/AboutAACo/history.cfm>
Anne Arundel County. "Tipton Airport, Anne Arundel County, Maryland." <http://www.tiptonairport.org/about/index.php>.
Freeman, Paul. "Abandoned and Little Known Airfields: Maryland-Columbia area." http://www.airfields-freeman.com/MD/Airfields_MD_Columbia.htm.
"Fort George G. Meade Cultural Resource Management Plan." Prepared for the U.S. Army Corps of Engineers. August 1994.
MapTech. Laurel Quad, 1965 (revised 1979), USGS Map.
MapTech. Relay Quad, 1947 USGS Map. <http://historical.maptech.com/getImage.cfm?fname=rlay47sw.jpg&state=MD>.
Maryland Department of the Environment. "Fort George G. Meade, (MD-67)." Maryland Department of the Environment, ERRP Fact Sheet. http://www.mde.state.md.us/assets/document/brownfields/Fort_Meade.pdf.
United States Environmental Protection Agency. "EPA Declares Ft. Meade's Tipton Airfield Free of Hazardous Waste." Press Release, 25 January 1999. <http://yosemite.epa.gov/r3/press.nsf/7f3f954af9c9b882563fd0063a09c/a371cff89f124d6f85256707005c1f7e?OpenDocument>

10. Geographical Data

Acreeage of surveyed property _____ 366 _____
Acreeage of historical setting _____ 366 _____
Quadrangle name _____ Laurel _____ Quadrangle scale: 1:24,000 _____

Verbal boundary description and justification

The Tipton Airport is located south of the point where MD 198 and MD 32 intersect. Fort George G. Meade borders the facility to the north, and the Patuxent Research Refuge borders the airport to the south. At the time of its construction, the Tipton Airport was located on the grounds of Fort Meade, but ownership of the parcel was transferred to Anne Arundel County in 1999.

11. Form Prepared by

name/title	Elizabeth Breiseth, Architectural Historian		
organization	EHT Traceries, Inc.	date	August 2007
street & number	1121 Fifth Street NW	telephone	202/393-1199
city or town	Washington	state	DC

The Maryland Inventory of Historic Properties was officially created by an Act of the Maryland Legislature to be found in the Annotated Code of Maryland, Article 41, Section 181 KA, 1974 supplement.

The survey and inventory are being prepared for information and record purposes only and do not constitute any infringement of individual property rights.


return to: Maryland Historical Trust
Maryland Department of Planning
100 Community Place
Crownsville, MD 21032-2023
410-514-7600

Maryland Historical Trust Maryland Inventory of Historic Properties Form

Inventory No. AA-2380

Tipton Airport
Continuation Sheet

Number 8 Page 4




1947 USGS Map, Relay Quad, showing original airfield at Fort Meade

Maryland Historical Trust Maryland Inventory of Historic Properties Form

Inventory No. AA-2380

Tipton Airport
Continuation Sheet

Number 8 Page 5




Maryland Historical Trust Maryland Inventory of Historic Properties Form


Inventory No. AA-2380

Tipton Airport
Continuation Sheet


Number 8 Page 6



2007 Aerial Photograph of Tipton Airport, <http://www.tiptonairport.org>




AA-2380 Tipton Airfield
 Fort Meade Road
 Laurel
 Anne Arundel Co.



Tipton Airport (AA-2380)
Odenton, Anne Arundel County, MD
Tax Parcel Map 20, Parcel 12
Prepared by EHT Tracerics, Inc., 2007





Tipton Airport (AA-2380)

81 General Aviation Drive

Odenton, Anne Arundel County, MD

Laurel Quad, USGS Topographic Map, 1965, Revised 1979

Prepared by EHT Tracerics, Inc., 2007





AA-2380

Hangar #84, Tipton Airport

81 General Aviation Drive

Anne Arundel County, MD

EHT Tracey's, Inc.

August 2007

MD SHPO

Looking east down General Aviation Drive

#1 of 11



AA-2380

Hangar #80, Tipton Airport

81 Geneva Aviation Drive

Anne Arundel county, MD

EHT Traceries, Inc.

August 2007

MD SHPO

West elevation

#2 of 11



AA-2380

Tarmac, Tipton Airport

81 General Aviation Drive

Anne Arundel County, MD

EAT Traceries, Inc.

August 2007

MD SHPO

Looking south across tarmac

#3 of 11



AA-2380

Building # 81, Tipton Airport

81 General Aviation Drive

Anne Arundel County, MD

EHT Traceries, Inc.

August 2007

MD SHPO

Looking Southeast towards Building # 81

#4 of 11



AA- 2380

Administrative Building, Tipton Airport

81 General Aviation Drive

Anne Arundel County, MD

EHT Traceries, Inc.

August 2007

MD SHPO

Northwest corner

#5 of 11



AA-2380

control tower, Tipton Airport

81 General Aviation Drive

Anne Arundel County, MD

EHT Traceries, Inc.

August 2007

MD SHPO

Looking west towards control tower

#6 of 11



AA-2380

Control tower, Tipton Airport

81 General Aviation Drive

Anne Arundel County, MD

EHT Traceries, Inc.

August 2007

MD SHPO

Looking south towards control tower

#7 of 11



AA-2380

General Aviation Drive, Tipton Airport

81 General Aviation Drive

Anne Arundel County, MD

EHT Traceries, Inc.

August 2007

MD SHPO

Looking east down General Aviation Drive

#8 of 11



AA-2380

General Aviation Drive, Tipton Airport

81 General Aviation Drive

Anne Arundel County, MD

EHT Traceries, Inc.

August 2007

MD SHPO

Looking west down General Aviation Drive

#9 of 11



AA - 2380

Hangar #90, Tipton Airport

81 General Aviation Drive

Anne Arundel county, MD

EHT Traceables, Inc.

August 2007

MD SHPO

Southwest corner

#10 of 11



AA-2380

Shed #1, Tipton Airport

81 General Aviation Drive

Anne Arundel County, MD

EHT Traceries, Inc.

August 2007

MD SHPO

Looking southwest towards Shed #1

#11 of 11